Cigna Arkansas Prior Authorization Report for 10012020 - 12312020				
Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty	P07.37	90378	Denied	by Modical Director regions
	P07.37	90378	Denied	by Medical Director review by Medical Director review
				+ <i>'</i>
	P07.34	90378	Denied	by Medical Director review
	E84.19	90378	Denied	by Medical Director review
	P07.36	90378	Denied	by Medical Director review
	E84.19	90378	Denied	by Medical Director review
	P07.25	90378	Approved	
	P07.25	90378	Approved	
	Z93.0	90378	Approved	
	R06.1	95782	Approved	
	G47.419	95805	Approved	
	G47.33	95806	Approved	
	G47.30	95806	Approved	
	G47.30	95810	Denied	by Medical Director review
	G47.33	95810	Denied	by Medical Director review
	G47.33	95810	Denied	by Medical Director review
	G47.30	95810	Denied	by Medical Director review
	G47.419	95810	Approved	
	R06.81	95810	Approved	
	G47.33	95810	Approved	
	R06.83	95810	Approved	
	G47.9	95810	Approved	
	G47.33	95810	Approved	
	G47.33	95811	Denied	by Medical Director review
	G47.33	95811	Denied	by Medical Director review
	Z68.45	95811	Denied	by Medical Director review
	G47.33	95811	Denied	by Medical Director review
	G47.33	95811	Denied	by Medical Director review
	G47.33	95811	Denied	by Medical Director review
	Z68.43	95811	Denied	by Medical Director review
	G47.33	95811	Approved	No inicalcal Director feview
	G47.30	95811	Approved	
	G47.33	95811	Approved	
	G47.33	95811		
	G47.33		Approved	
	E10.9	95811 A4253	Approved	
			Approved	
	E10.65	A9274	Approved	
	E10.65	A9274	Approved	handadiaa Diagram
	R68.89	C9399	Denied	by Medical Director review
	E11.65	C9399	Denied	by Medical Director review
	R63.5	C9399	Denied	by Medical Director review
	E11.9	C9399	Denied	by Medical Director review
	E11.9	C9399	Denied	by Medical Director review
	G43.009	C9399	Denied	by Medical Director review
	E11.65	C9399	Denied	by Medical Director review

		nsas Prior Authorization R		
Ordering Provider Type /Specialty	Diagnosis	Service	Status	Reason for Denial
Type / Specialty	E11.65	C9399	Denied	by Medical Director review
	E11.65	C9399	Approved	by Wedical Director review
	L40.0	C9399	Approved	
	E11.9	C9399	Approved	
	L20.89	C9399		+
			Approved	
	G43.909	C9399	Approved	
	G43.119	C9399	Approved	
	E11.9	C9399	Approved	
	E11.65	C9399	Approved	
	E11.65	C9399	Approved	
	E11.9	C9399	Approved	
	E11.65	C9399	Approved	
	E11.9	C9399	Approved	
	E11.9	C9399	Approved	
	G43.019	C9399	Approved	
	E11.9	C9399	Approved	
	L40.0	C9399	Approved	
	E11.9	C9399	Approved	
	M05.9	C9399	Approved	
	E11.9	C9399	Approved	
	G43.709	C9399	Approved	
Facility	F10.230	Detox Inpatient	Approved	
	G47.33	E0601	Denied	by Medical Director review
	E10.65	E0784	Approved	2,
	E10.65	E0784	Approved	
	H30.021	H30.021	Approved	
	H30.021	H30.021	Approved	
	H30.021	H30.021	Approved	
	M05.79	J0129		
	M05.79	J0129 J0129	Approved	
		J0129 J0135	Approved	h. Madical Divastav various
	L73.2		Denied	by Medical Director review
	M06.9	J0135	Approved	
	M45.9	J0135	Approved	
	K51.90	J0135	Approved	
	L73.2	J0135	Approved	
	K50.90	J0135	Approved	
	K51.30	J0135	Approved	
	C34.32	J0185	Approved	
	E88.01	J0256	Denied	by Medical Director review
	E88.01	J0256	Denied	by Medical Director review
	M32.9	J0490	Approved	
	N32.81	J0585	Denied	by Medical Director review
	G43.711	J0585	Denied	by Medical Director review
	R10.84	J0585	Approved	
	G43.719	J0585	Approved	

Ondoning Burnish		nsas Prior Authorization Re	•	
Ordering Provider Type /Specialty	Diagnosis	Service	Status	Reason for Denial
	N39.41	J0585	Approved	
	G95.9	J0585	Approved	
	G43.719	J0585	Approved	
	G24.3	J0585	Approved	
	G43.719	J0585	Approved	
	G80.2	J0586	Approved	
	L40.50	J0717	Approved	
	M46.91	J0717	Approved	
	N48.6	J0775	Approved	
	M81.0	J0897	Denied	by Medical Director review
	M81.0	J0897	Denied	by Medical Director review
	M81.0	J0897	Denied	by Medical Director review
	M81.0	J0897	Approved	,
	M81.0	J0897	Approved	
	M81.0	J0897	Approved	
	C34.32	J0897	Approved	
	G70.00	J1300	Approved	
	M05.9	J1438	Approved	
	M45.7	J1438	Approved	
	M06.9	J1438	Approved	
	M05.9	J1438	Approved	+
	C18.2	J1453	Approved	
	C50.412	J1453	Approved	
	D80.5	J1459	Approved	
	D80.5	J1459	Approved	
	D80.1	J1559	Denied	by Medical Director review
	D84.9	J1559	Approved	by Wedicai Director review
	D83.9	J1561	Approved	
	D80.1	J1569	Approved	
	D80.5	J1509	Approved	
	M45.9	J1602		
	M05.79	J1602	Approved Approved	
	Z87.51	J1729	Approved	
	K51.00	J1729 J1745	Approved	
	M06.9	J1745 J1745	Approved	
	L88	J1745 J1745	Approved	
	M45.0	J1745 J1745	Approved	
	K50.00	J1745 J1745		
	D86.9	J1745 J1745	Approved	
	M05.79	J1745 J1745	Approved	
			Approved	
	K50.10	J1745	Approved	hu Madical Diseates and to
	E11.65	J1815	Denied	by Medical Director review
	E10.65	J1815	Denied	by Medical Director review
	E11.65	J1815	Approved	+
	024.119	J1815	Approved	

Ordering Provider	Diagnosis	sas Prior Authorization Report  Service	Status	Reason for Denial
Type /Specialty				
,, , , , , , , , , , , , , , , , , , , ,	D25.9	J1950	Approved	
	N93.9	J1950	Approved	
	J45.40	J2182	Denied	by Medical Director review
	J45.909	J2182	Approved	
	G35	J2350	Approved	
	G35	J2350	Approved	
	L50.1	J2357	Approved	
	C18.2	J2469	Approved	
	C50.511	J2469	Approved	
	C34.32	J2469	Approved	
	H44.23	J2778	Approved	
	G43.711	J3031	Approved	
	M81.0	J3111	Denied	by Medical Director review
	127.0	J3285	Approved	by Medical Director Teview
	M17.0	J3304	Denied	by Medical Director review
	L40.50	J3357	Approved	by Medical Director Teview
	L40.30	J3357	Approved	
	K50.00	J3357		
	K50.00	J3357	Approved	
	K50.90	J3380	Approved	
			Approved	
	K50.90	J3380	Approved	
	K51.019	J3380	Approved	
	K50.80	J3380	Approved	l. M. diad Birrata and
	E29.1	J3490	Denied	by Medical Director review
	Z68.41	J3490	Denied	by Medical Director review
	F33.2	J3490	Denied	by Medical Director review
	E29.1	J3490	Denied	by Medical Director review
	E29.1	J3490	Denied	by Medical Director review
	Z68.30	J3490	Denied	by Medical Director review
	T78.1XXA	J3490	Approved	
	F33.2	J3490	Approved	
	E29.1	J3490	Approved	
	Z68.43	J3490	Approved	
	N48.6	J3490	Approved	
	R79.89	J3490	Approved	
	G43.009	J3490	Approved	
	J44.9	J3535	Approved	
	K86.1	J3590	Approved	
	Z31.69	J3590	Approved	
	N97.9	J3590	Approved	
	N97.9	J3590	Approved	
	M17.0	J7324	Denied	by Medical Director review
	M17.12	J7324	Approved	
	M17.0	J7324	Approved	
	M17.12	J7324	Approved	

Cigna Arkansas Prior Authorization Report for 10012020 - 12312020				
Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty	N417 11	17224	Approved	
	M17.11	J7324	Approved	
	M17.12	J7324	Approved	
	M17.0	J7324	Approved	
	M17.0	J7324	Approved	
	M17.0	J7324	Approved	
	M17.11	J7325	Denied	by Medical Director review
	M17.11	J7325	Approved	
	M17.12	J7325	Approved	
	M17.11	J7325	Approved	
	M17.12	J7325	Approved	
	M17.11	J7325	Approved	
	M17.12	J7325	Approved	
	M25.561	J7325	Approved	
	M25.561	J7325	Approved	
	M17.0	J7325	Approved	
	M17.11	J7325	Approved	
	M17.10	J7327	Approved	
	M17.11	J7327	Approved	
	M17.11	J7328	Denied	by Medical Director review
	K21.9	J8499	Denied	by Medical Director review
	N32.81	J8499	Denied	by Medical Director review
	K21.9	J8499	Denied	by Medical Director review
	K27.9	J8499	Denied	by Medical Director review
	G43.909	J8499	Denied	by Medical Director review
	R68.89	J8499	Denied	by Medical Director review
	E11.22	J8499	Denied	by Medical Director review
	110	J8499	Denied	by Medical Director review
	B20	J8499	Denied	by Medical Director review
	K21.9	J8499	Denied	by Medical Director review
	K21.9	J8499	Denied	by Medical Director review
	K21.9	J8499	Denied	by Medical Director review
	G35	J8499	Denied	by Medical Director review
	E11.9	J8499	Denied	by Medical Director review
	K21.0	J8499	Denied	by Medical Director review
	K21.9	J8499	Denied	by Medical Director review
	G40.209	J8499	Approved	27 Medical Silector review
	G40.203	J8499	Approved	
	Q61.2	J8499	Approved	
	G43.909	J8499	Approved	
	E11.9	J8499	Approved	
	M05.79	J8499	Approved	
	E11.9			
		J8499	Approved	
	E11.9	J8499	Approved	
	C50.919	J8499	Approved	<u> </u>
	J84.112	J8499	Approved	

Cigna Arkansas Prior Authorization Report for 10012020 - 12312020				
Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty	E24.9	10400	A 10 10 10 10 10 10	
	E11.9	J8499 J8499	Approved	
			Approved	
	I50.22	J8499 J8499	Approved	
	K21.9 E11.9	J8499 J8499	Approved	
	+		Approved	
	G89.4	J8499	Approved	
	G47.419	J8499	Approved	
	E11.43	J8499	Approved	
	G35	J8499	Approved	
	M05.79	J8499	Approved	
	E11.65	J8499	Approved	
	E11.65	J8499	Approved	
	G35	J8499	Approved	
	E11.9	J8499	Approved	
	E11.9	J8499	Approved	
	E11.8	J8499	Approved	
	C34.32	J9045	Approved	
	C50.412	J9045	Approved	
	C50.511	J9171	Approved	
	C50.412	J9171	Approved	
	L90.5	J9190	Approved	
	C18.2	J9190	Approved	
	C18.2	J9206	Approved	
	C34.32	J9264	Approved	
	C91.00	J9266	Approved	
	C34.32	J9271	Approved	
	C34.32	J9271	Approved	
	C50.412	J9306	Approved	
	M60.9	J9312	Approved	
	M06.9	J9312	Approved	
	D63.1	Q5105	Approved	
	C18.2	Q5107	Approved	
	C50.412	Q5117	Approved	
	C50.511	Q5120	Approved	
	N97.9	S0126	Approved	
	S92.146A	S92.146A	Denied	by Medical Director review
Facility	F10.20	Substance Abuse Partial	Approved	,
,		Hospitalization Program		
	M72.2		Denied	by Medical Director review
	M72.2		Denied	by Medical Director review
	M54.2		Denied	by Medical Director review
	S82.122D		Denied	by Medical Director review
	M72.2		Denied	by Medical Director review
	S82.122D		Denied	by Medical Director review
	S82.92XD		Denied	by Medical Director review
	302.9ZND		Denied	by iviedical Director review

Cigna Arkansas Prior Authorization Report for				
Ordering Provider Type /Specialty	Diagnosis	Service	Status	Reason for Denial
. The Topecialty	S82.92XD		Denied	by Medical Director review
	S82.92XD		Denied	by Medical Director review
	M99.03		Denied	by Medical Director review
	G44.211		Denied	by Medical Director review
	M54.5		Denied	by Medical Director review
	M79.671		Denied	by Medical Director review
	m54.17		Denied	by Medical Director review
	S13.4XXA		Denied	by Medical Director review
	\$13.4XXA		Denied	by Medical Director review
	M54.6		Denied	by Medical Director review
	M47.812		Denied	by Medical Director review
	M47.812		Denied	•
			+	by Medical Director review
	M47.812		Denied	by Medical Director review
	M47.812		Denied	by Medical Director review
	M54.12		Denied	by Medical Director review
	M54.12		Denied	by Medical Director review
	S33.5XXA		Denied	by Medical Director review
	S33.5XXA		Denied	by Medical Director review
	M54.5		Denied	by Medical Director review
	M54.5		Denied	by Medical Director review
	M22.2X1		Denied	by Medical Director review
	M22.2X1		Denied	by Medical Director review
	M54.16		Denied	by Medical Director review
	M54.16		Denied	by Medical Director review
	M25.511		Denied	by Medical Director review
	M25.511		Denied	by Medical Director review
	G89.29		Denied	by Medical Director review
	F17.210		Denied	by Medical Director review
	M25.572		Denied	by Medical Director review
	M25.572		Denied	by Medical Director review
	Z80.3		Denied	by Medical Director review
	Z80.3		Denied	by Medical Director review
	M47.26		Denied	by Medical Director review
	M47.26		Denied	by Medical Director review
	Z85.820		Denied	by Medical Director review
	Z85.820		Denied	by Medical Director review
	Z85.820		Denied	by Medical Director review
	R10.9		Denied	by Medical Director review
	M54.16		Denied	by Medical Director review
	M54.12		Denied	by Medical Director review
	M54.16		Denied	by Medical Director review
	M54.12		Denied	by Medical Director review
	D18.00		Denied	by Medical Director review
	D18.00		Denied	by Medical Director review
	M25.512		Denied	by Medical Director review
		1		,

				t for 10012020 - 12312020		
Ordering Provider	Diagnosis	Service	Status	Reason for Denial		
Type /Specialty						
	M25.512		Denied	by Medical Director review		
	M25.551		Denied	by Medical Director review		
	M25.551		Denied	by Medical Director review		
	R61		Denied	by Medical Director review		
	L70.0		Denied	by Medical Director review		
	K21.9		Denied	by Medical Director review		
	N32.81		Denied	by Medical Director review		
	Z68.41		Denied	by Medical Director review		
	F31.9		Denied	by Medical Director review		
	J44.9		Denied	by Medical Director review		
	I10		Denied	by Medical Director review		
	L70.0		Denied	by Medical Director review		
	L70.0		Denied	by Medical Director review		
	E11.40		Denied	by Medical Director review		
	F17.200		Denied	by Medical Director review		
	G43.009		Denied	by Medical Director review		
	E78.2		Denied	by Medical Director review		
	N39.3		Denied	by Medical Director review		
	R41.840		Denied	by Medical Director review		
	L70.0		Denied	by Medical Director review		
	F90.2		Denied	by Medical Director review		
	J84.112		Denied	by Medical Director review		
	L71.8		Denied	by Medical Director review		
	L71.8		Denied	by Medical Director review		
	E11.65		Denied	by Medical Director review		
	G47.26		Denied	by Medical Director review		
	G43.901		Denied	by Medical Director review		
	E66.01		Denied	by Medical Director review		
	F98.8		Denied	by Medical Director review		
	E11.65		Denied	by Medical Director review		
	L71.9		Denied	by Medical Director review		
	G43.001		Denied	by Medical Director review		
	L71.9		Denied	by Medical Director review		
	E11.8		Denied	by Medical Director review		
	E11.65		Denied	by Medical Director review		
	E11.65		Denied	by Medical Director review		
	E11.9		Denied	by Medical Director review		
	J45.991		Denied	by Medical Director review		
	K21.9		Denied	by Medical Director review		
	N32.81		Denied	by Medical Director review		
	F90.0		Denied	by Medical Director review		
	E11.9		Denied	by Medical Director review		
	K29.50		Denied			
	G47.26	+		by Medical Director review		
		+	Denied	by Medical Director review		
	Z72.52		Denied	by Medical Director review		

Ordering Provider	Diagnosis	nsas Prior Authorizatio Service	Status	Reason for Denial
Type /Specialty	Diagnosis	Service	Status	Reason for Demai
- ype / specialty	F31.32		Denied	by Medical Director review
	E72.12		Denied	by Medical Director review
	L81.4		Denied	by Medical Director review
	G43.719	+	Denied	by Medical Director review
	F31.9		Denied	by Medical Director review
	G43.719		Denied	by Medical Director review
	R68.89		Denied	by Medical Director review
	B96.20	_	Denied	
				by Medical Director review
	F90.0		Denied	by Medical Director review
	F90.0		Denied	by Medical Director review
	F33.9		Denied	by Medical Director review
	N81.2		Denied	by Medical Director review
	G47.411		Denied	by Medical Director review
	110		Denied	by Medical Director review
	F90.0		Denied	by Medical Director review
	N52.9		Denied	by Medical Director review
	Z72.52		Denied	by Medical Director review
	E55.9		Denied	by Medical Director review
	Z72.52		Denied	by Medical Director review
	N52.9		Denied	by Medical Director review
	G43.009		Denied	by Medical Director review
	110		Denied	by Medical Director review
	E78.2		Denied	by Medical Director review
	110		Denied	by Medical Director review
	R41.840		Denied	by Medical Director review
	L70.0		Denied	by Medical Director review
Surgery, Plastic	N62		Denied	by Medical Director review
Neurology	Z98.890		Denied	by Medical Director review
Pediatrics	F80.82		Denied	by Medical Director review
Internal Medicine	M81.0		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07		Denied	by Medical Director review
Surgery, Orthopedic	M48.07	<del> </del>	Denied	by Medical Director review
Surgery, Orthopedic	M48.07	+	Denied	by Medical Director review
Prosthodontics	G47.33		Denied	by Medical Director review
Internal Medicine	J45.40	1	Denied	by Medical Director review
	15 .56		Denieu	by Micaical Director Teview

<b>Ordering Provider</b>	Diagnosis	Service	Status	Reason for Denial
Type /Specialty	Diagilosis	Service	Status	Reason for Demai
Neurology	G43.711		Denied	by Medical Director review
Neurology	G43.711 G43.711			
= -	M17.0		Denied	by Medical Director review
Surgery, Orthopedic			Denied	by Medical Director review
Midwifery	080		Denied	by Medical Director review
Midwifery	O80		Denied	by Medical Director review
Radiology, Diagnostic	C50.912		Denied	by Medical Director review
Ophthalmology	G51.32		Denied	by Medical Director review
Ophthalmology	G51.32		Denied	by Medical Director review
Ophthalmology	H02.403		Denied	by Medical Director review
Ophthalmology	H02.403		Denied	by Medical Director review
	E06.3		Denied	by Medical Director review
	J32.0		Denied	by Medical Director review
	E27.8		Denied	by Medical Director review
	Q20.4		Denied	by Medical Director review
	D3A.8		Denied	by Medical Director review
	D35.02		Denied	by Medical Director review
	C18.1		Denied	by Medical Director review
	149.3		Denied	by Medical Director review
	E28.0		Denied	by Medical Director review
	E28.0		Denied	by Medical Director review
	M54.2		Denied	by Medical Director review
	M47.23		Denied	by Medical Director review
	R10.11		Denied	by Medical Director review
	R31.29		Denied	by Medical Director review
	R31.29		Denied	by Medical Director review
	M54.16		Denied	by Medical Director review
	M25.562		Denied	by Medical Director review
	S92.146A		Denied	by Medical Director review
	D14.0		Denied	by Medical Director review
	C7A.023		Denied	by Medical Director review
	D14.0		Denied	by Medical Director review
	D14.0		Denied	by Medical Director review
	C7A.023		Denied	by Medical Director review
	G89.29		Denied	by Medical Director review
	C7A.023		Denied	by Medical Director review
	G89.29		Denied	by Medical Director review
	D14.0		Denied	by Medical Director review
	G43.009		Denied	by Medical Director review
	M54.42		Denied	by Medical Director review
	M54.42		Denied	by Medical Director review
	C7A.023		Denied	by Medical Director review
	G43.009		Denied	by Medical Director review
	M54.5		Denied	by Medical Director review
	M54.5		Denied	· ·
	10104.0		Denied	by Medical Director review

Oudouine Duestide		sas Prior Authorization Report			
Ordering Provider	Diagnosis	Service	Status	Reason for Denial	
Type /Specialty	M25.559		Denied	by Medical Director review	
	M25.559		Denied		
				by Medical Director review	
	Z85.820		Denied	by Medical Director review	
	Z85.820		Denied	by Medical Director review	
	M17.12		Denied	by Medical Director review	
	R51		Denied	by Medical Director review	
	125.10		Denied	by Medical Director review	
	R10.12		Denied	by Medical Director review	
	S06.0X0A		Denied	by Medical Director review	
	M51.26		Denied	by Medical Director review	
	M54.2		Denied	by Medical Director review	
	K59.09		Denied	by Medical Director review	
	M54.5		Denied	by Medical Director review	
	R94.39		Denied	by Medical Director review	
	M54.12		Denied	by Medical Director review	
	163.9		Denied	by Medical Director review	
	K59.00		Denied	by Medical Director review	
	M51.36		Denied	by Medical Director review	
	C64.9		Denied	by Medical Director review	
	M25.511		Denied	by Medical Director review	
	R10.13		Denied	by Medical Director review	
	M51.27		Denied	by Medical Director review	
	G89.4		Denied	by Medical Director review	
	M24.272		Denied	by Medical Director review	
	M48.061		Denied	by Medical Director review	
	C64.2		Denied	by Medical Director review	
	M54.2		Denied	by Medical Director review	
	K40.90		Denied	by Medical Director review	
	M54.2		Denied	by Medical Director review	
	R91.1		Denied	by Medical Director review	
	Z51.11		Denied	by Medical Director review	
	C50.211		Denied	by Medical Director review	
	M54.2		Denied	by Medical Director review	
	M79.671		Denied	by Medical Director review	
	M54.2		Denied	by Medical Director review	
	R59.0		Denied	by Medical Director review	
	125.10		Denied	by Medical Director review	
	171.4		Denied	by Medical Director review	
	M54.16		Denied	by Medical Director review	
	R05		Denied	by Medical Director review	
	C50.412		Denied	by Medical Director review	
	M25.561		Denied	by Medical Director review	
	D72.829		Denied	by Medical Director review	
	M54.16		Denied	by Medical Director review	
	M54.16		Denied	by Medical Director review	

Cigna Arkansas Prior Authorization Report for 10012020 - 12312020				
Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty	110		Donied	by Modical Director region
			Denied	by Medical Director review
	D72.829		Denied	by Medical Director review
	125.10		Denied	by Medical Director review
	C50.411		Denied	by Medical Director review
	S86.001S		Denied	by Medical Director review
	S86.001S		Denied	by Medical Director review
	E04.1		Denied	by Medical Director review
	M54.9		Denied	by Medical Director review
	M54.5		Denied	by Medical Director review
	R06.02		Denied	by Medical Director review
	M47.816		Denied	by Medical Director review
	M25.511		Denied	by Medical Director review
	D3A.8		Denied	by Medical Director review
	D3A.8		Denied	by Medical Director review
	M54.2		Denied	by Medical Director review
	M47.812		Denied	by Medical Director review
	M25.512		Denied	by Medical Director review
	M47.812		Denied	by Medical Director review
	M54.2		Denied	by Medical Director review
	M51.26		Denied	by Medical Director review
	D18.00		Denied	by Medical Director review
	M51.26		Denied	by Medical Director review
	M25.512		Denied	by Medical Director review
	D18.00		Denied	by Medical Director review
	C83.39		Denied	by Medical Director review
	C83.39		Denied	by Medical Director review
	C83.39		Denied	by Medical Director review
	C83.39		Denied	by Medical Director review
	C83.39		Denied	by Medical Director review
	C83.39		Denied	by Medical Director review
	M54.17		Denied	by Medical Director review
	M54.17		Denied	by Medical Director review
	C64.2		Denied	by Medical Director review
	165.29			,
			Denied	by Medical Director review
	M25.511		Denied	by Medical Director review
	R06.00		Denied	by Medical Director review
	S22.089A		Denied	by Medical Director review
	R07.81		Denied	by Medical Director review
	C91.10		Denied	by Medical Director review
	C91.10		Denied	by Medical Director review
	M25.562		Denied	by Medical Director review
	165.29		Denied	by Medical Director review
	C91.10		Denied	by Medical Director review
	C91.10		Denied	by Medical Director review
	S22.089A		Denied	by Medical Director review

				t for 10012020 - 12312020		
Ordering Provider Type /Specialty	Diagnosis	Service	Status	Reason for Denial		
Type / Specially	C64.2		Denied	by Medical Director review		
	R05		Denied	by Medical Director review		
	R05		Denied	by Medical Director review		
	S83.015S		Denied	by Medical Director review		
	S83.015S		Denied	by Medical Director review		
	M54.16		Denied	by Medical Director review		
	S83.015S		Denied	•		
	S83.015S			by Medical Director review		
	+		Denied	by Medical Director review		
	G89.29		Denied	by Medical Director review		
	M47.816		Denied	by Medical Director review		
	M47.816		Denied	by Medical Director review		
	G89.29		Denied	by Medical Director review		
	M47.817		Denied	by Medical Director review		
	M47.817		Denied	by Medical Director review		
	M47.817		Denied	by Medical Director review		
	M54.12		Denied	by Medical Director review		
	M54.12		Denied	by Medical Director review		
	C30.0		Denied	by Medical Director review		
	C30.0		Denied	by Medical Director review		
	C43.72		Denied	by Medical Director review		
	C43.72		Denied	by Medical Director review		
	C43.72		Denied	by Medical Director review		
	C43.72		Denied	by Medical Director review		
	C43.72		Denied	by Medical Director review		
	C43.72		Denied	by Medical Director review		
	R22.41		Denied	by Medical Director review		
	R22.41		Denied	by Medical Director review		
	R10.9		Denied	by Medical Director review		
	R10.9		Denied	by Medical Director review		
	K44.9		Denied	by Medical Director review		
	K44.9		Denied	by Medical Director review		
	M25.571		Denied	by Medical Director review		
	M25.571		Denied	by Medical Director review		
	K21.0		Approved			
	F90.2		Approved			
	E11.42		Approved			
	G35		Approved			
	M25.551		Approved			
	G43.719		Approved			
	G47.419		Approved			
	G89.4		Approved			
	F90.0		Approved			
	F31.5		Approved			
	G35		Approved			
	F90.2		Approved			

Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty	Diagnosis	Jervice	Jiaius	itedson for Denial
Type / Specialty	L70.0		Approved	
	L70.0		Approved	
	G43.719		Approved	
	E78.5		Approved	
	Z79.4		Approved	
	F90.0		Approved	
	G43.909		Approved	
	E30.1		Approved	
	E11.9		Approved	
	B35.1		Approved	
	R41.840		Approved	
	L70.0		Approved	
			• • • • • • • • • • • • • • • • • • • •	
	F32.9 E11.9		Approved	+
			Approved	
	M32.9		Approved	
	F32.9		Approved	
	E11.9		Approved	
	F90.0		Approved	
	E11.65		Approved	
	K21.9		Approved	
	E10.65		Approved	
	N40.1		Approved	
	C50.919		Approved	
	F90.9		Approved	
	F90.9		Approved	
	150.22		Approved	
	E66.8		Approved	
	F98.8		Approved	
	N80.9		Approved	
	L70.0		Approved	
	G43.909		Approved	
	R00.0		Approved	
	E11.9		Approved	
	G47.26		Approved	
	E78.2		Approved	
	G43.009		Approved	
	M54.42		Approved	
	L70.0		Approved	
	G43.009		Approved	
	G35		Approved	
	G43.919		Approved	
	K21.9		Approved	
	E78.5		Approved	
	R05		Approved	
	E78.5		Approved	

Ondonia - Durini			on Report for 10012020	
Ordering Provider Type /Specialty	Diagnosis	Service	Status	Reason for Denial
	G43.711		Approved	
	F98.8		Approved	
	E10.65		Approved	
	G43.909		Approved	
	G43.719		Approved	
	F90.2		Approved	
	G43.719		Approved	
	L70.8		Approved	
	G47.10		Approved	
	G43.111		Approved	
	F31.60		Approved	
	G47.419		Approved	
	135.0		Approved	
	F41.8		Approved	
	R68.89		Approved	
	F98.8		Approved	
	E11.9		Approved	
	G43.709		Approved	
	F31.32		Approved	
	G43.709		Approved	
	L40.50		Approved	
	F90.0		Approved	
	F90.9		Approved	
	L73.2		Approved	
	F90.2		Approved	
	F90.0		Approved	
	F90.2		Approved	
	E78.5		Approved	
	F31.10		Approved	
	E10.9		Approved	
	F90.0		Approved	
	F90.0		Approved	
	F90.1		Approved	
	G43.709		Approved	
	G43.109		Approved	
	G43.009		Approved	
	125.10		Approved	
	Z71.6		Approved	
	E10.9		Approved	
	E11.9		Approved	
	F33.9		Approved	
	G43.109		Approved	
	M32.9		Approved	
	F90.1		Approved	
	L66.8		Approved	+

Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty				l e e e e e e e e e e e e e e e e e e e
7,00,000	E78.2		Approved	
	F90.0		Approved	
	N97.9		Approved	
	N39.41		Approved	
	G43.419		Approved	
	B35.1		Approved	
	E78.2		Approved	
	N97.9		Approved	
	F33.9		Approved	
	E11.9		Approved	
	F90.2		Approved	
	L70.0		Approved	
	L70.0		Approved	
	C91.00		Approved	
	M05.50		Approved	
	M25.561		Approved	
	M99.03		Approved	
	M54.5		Approved	
Maternal And Fetal	Z87.51		Approved	
Medicine			7.66.0100	
OB/GYN	N97.8		Approved	
OB/GYN	Z31.69		Approved	
OB/GYN	Z31.69		Approved	
OB/GYN	Z31.69		Approved	
OB/GYN	Z31.69		Approved	
Surgery, Neurological	M51.16		Approved	
Psychiatry	M51.16		Approved	
Urology	C61		Approved	
Urology	C61		Approved	
Cardiology,	135.0		Approved	
Interventional				
Surgery, General	C18.1		Approved	
Surgery, General	E28.2		Approved	
Surgery, Orthopedic	M41.125		Approved	
Surgery, Orthopedic	M41.125		Approved	
Surgery, Orthopedic	M41.125		Approved	
Surgery, General	E11.9		Approved	
Cardiovascular	120.0		Approved	
Disease				
Pediatrics	F82		Approved	
Pediatric Nephrology	N18.6		Approved	
Internal Medicine	M06.09		Approved	
Behavioral Nurse	M17.12		Approved	
Sports Medicine	M17.12		Approved	

Ordering Provider	Diagnosis	nsas Prior Authorization Report Service	Status	Reason for Denial
Type /Specialty				The age in the gentler
Surgery, Plastic	N65.0		Approved	
Surgery, Plastic	N65.0		Approved	
Surgery, Plastic	N65.0		Approved	
Pediatrics	F80.0		Approved	
Family Medicine	G43.719		Approved	
Family Medicine	G43.719		Approved	
Family Medicine	Q31.5		Approved	
Surgery, General	Z90.13		Approved	
Surgery, General	Z90.13		Approved	
Radiology	Z80.3		Approved	
Pediatric Neurology	P07.26		Approved	
r caracrite recarding,	Z44.22		Approved	
	Z44.22		Approved	
Otolaryngology (ENT)	E05.90		Approved	+
Color yrigology (LIVI)			Αρρίονεα	
Otolaryngology (ENT)	E05.90		Approved	
Otolaryngology (ENT)	E05.90		Approved	
Otolaryngology (ENT)	E05.90		Approved	
Otolaryngology (ENT)	E05.90		Approved	
Otolaryngology (ENT)	E05.90		Approved	
Otolaryngology (ENT)	E05.90		Approved	
Oncology	C18.1		Approved	
Nephrology	N18.6		Approved	
Radiology	183.891		Approved	
OB/GYN	C56.9		Approved	
OB/GYN	C56.9		Approved	
OB/GYN	C56.9		Approved	
OB/GYN	C56.9		Approved	
Gastroenterology	K50.90		Approved	
Surgery, Neurological			Approved	
Internal Medicine	M05.79		Approved	
Surgery, Orthopedic	M17.0		Approved	
OB/GYN	C56.9		Approved	
Surgery, Plastic	Z85.3		Approved	
Surgery, Plastic	Z85.3		Approved	
Surgery, Plastic	Z85.3		Approved	
Surgery, Plastic	Z85.3		Approved	
Surgery, Plastic	Z85.3		Approved	
Oncology	L81.3		Approved	

		for 10012020 - 12312020		
Ordering Provider Type /Specialty	Diagnosis	Service	Status	Reason for Denial
Family Medicine	M17.11		Approved	
Internal Medicine	Q21.1		Approved	
Internal Medicine	Q21.1		Approved	
Internal Medicine	Q21.1		Approved	
Internal Medicine	Q21.1		Approved	
Surgery, Plastic	C50.112		Approved	
OB/GYN	N97.9		Approved	
Surgery, General	Z15.01		Approved	
Ophthalmology	E11.3513		Approved	
Surgery, Orthopedic	M17.0		Approved	
Rheumatology	M81.0		Approved	
Pediatric Nephrology	N18.6		Approved	
Radiology	187.2		Approved	
Radiology	187.2		Approved	
Ophthalmology	H43.12		Approved	
Reproductive Endocrinology /Infertility	N97.9		Approved	
Ophthalmology	H35.051		Approved	
Surgery, Orthopedic	M81.0		Approved	
Allergy /Immunology	D80.5		Approved	
Counseling	148.91		Approved	
Cardiovascular Disease	148.91		Approved	
Pulmonary Disease	127.0		Approved	
Family Medicine	E84.9		Approved	
Family Medicine	U07.1		Approved	
Family Medicine	U07.1		Approved	
Cardiovascular Disease	148.91		Approved	
Ophthalmology	H18.603		Approved	
Ophthalmology	H18.603		Approved	
Rheumatology	M81.0		Approved	
Neurology	G24.3		Approved	
Counseling	G24.3		Approved	
Neurology	G24.3		Approved	
Counseling	G24.3		Approved	
OB/GYN	Z34.93		Approved	
Reproductive Endocrinology /Infertility	N97.9		Approved	
Reproductive Endocrinology /Infertility	N97.9		Approved	

Oudening Bussiden	Cigna Arkansas Prior Authorization Re		<u> </u>		
Ordering Provider	Diagnosis	Service	Status	Reason for Denial	
Type /Specialty	1107.0				
Reproductive	N97.9		Approved		
Endocrinology /Infertility					
	500.0				
Pediatrics	F80.0		Approved		
Surgery, Orthopedic	M48.02		Approved		
Psychology	M48.02		Approved		
Surgery, Orthopedic	M48.02		Approved		
Psychology	M48.02		Approved		
Surgery, Orthopedic	M48.02		Approved		
Psychology	M48.02		Approved		
Surgery, Orthopedic	M48.02		Approved		
Psychology	M48.02		Approved		
Allergy /Immunology	D80.5		Approved		
Nurse Practitioner	N18.6		Approved		
Ophthalmology	E11.3313		Approved		
	R27.0		Approved		
	S92.111G		Approved		
	F48.8		Approved		
	M54.16		Approved		
	C88.4		Approved		
	M54.5		Approved		
	R94.31		Approved		
	M54.15		Approved		
	M25.511		Approved		
	M54.16		Approved		
	M47.23		Approved		
	M25.511		Approved		
	S46.211A		Approved		
	M54.41		Approved		
	M48.02				
	M47.10		Approved		
			Approved		
	144.7		Approved	+	
	M41.80		Approved	+	
	G25.2		Approved	+	
	R94.31		Approved		
	S92.111G		Approved		
	R07.81		Approved		
	M54.12		Approved		
	M54.5		Approved		
	S46.211A		Approved		
	M54.2		Approved		
	M62.89		Approved		
	M51.16		Approved		
	B27.90		Approved		

		nsas Prior Authorization Report			
Ordering Provider	Diagnosis	Service	Status	Reason for Denial	
Type /Specialty	B27.90		Approved		
			Approved		
	M54.5		Approved		
	S46.002A		Approved		
	S46.002A		Approved		
	M54.12		Approved		
	R07.2		Approved		
	N39.0		Approved		
	M51.16		Approved		
	C50.919		Approved		
	C50.812		Approved		
	R10.31		Approved		
	C50.412		Approved		
	C50.812		Approved		
	C50.812		Approved		
	C50.812		Approved		
	C50.412		Approved		
	R10.31		Approved		
	R03.0		Approved		
	M17.12		Approved		
	M75.122		Approved		
	M17.12		Approved		
	M75.122		Approved		
	R03.0		Approved		
	M17.12		Approved		
	M17.12		Approved		
	D21.9		Approved		
	D21.9		Approved		
	M50.20		Approved	+	
			• • •		
	M50.20		Approved		
	M50.20		Approved		
	M54.12		Approved		
	M54.12		Approved		
	M54.12		Approved		
	G90.2		Approved		
	G90.2		Approved		
	G90.2		Approved		
	G90.2		Approved		
	G90.2		Approved		
	G90.2		Approved		
	G90.2		Approved		
	G90.2		Approved		
	C69.02		Approved		
	C69.02		Approved		
	M25.571		Approved		
	M25.571		Approved		

Ordering Drewider		Cigna Arkansas Prior Authorization Report f		
Ordering Provider Type /Specialty	Diagnosis	Service	Status	Reason for Denial
	C18.7		Approved	
	C18.7		Approved	
	C18.7		Approved	
	H47.10		Approved	
	K43.9		Approved	
	J32.0		Approved	
	K86.0		Approved	
	C62.12		Approved	
	M25.362		Approved	
	K21.9		Approved	
	M46.07		Approved	
	G89.29		Approved	
	M51.36		Approved	
	S46.212A		Approved	
	Z85.528		Approved	
	M75.41		Approved	
	M51.16		Approved	
	R22.2		Approved	
	R94.39		Approved	
	R10.9		Approved	
	S46.212A		Approved	
	C64.2		Approved	
	R06.02		Approved	
	D35.2		Approved	
	G89.29		Approved	
	M54.16		Approved	
	G43.109		Approved	
	M46.1		Approved	
	R10.9		Approved	
	M54.16		Approved	
	R10.30		Approved	
	M54.16		Approved	
	M54.16		Approved	
	M54.12		Approved	
	M25.511		Approved	
	M25.572		Approved	
	171.4		Approved	
	163.9		Approved	+
	M17.12		Approved	+
	D33.0		Approved	+
	M47.816		Approved	
	M48.07		Approved	
	G43.909		Approved	
	R07.9		Approved	
	M47.817		Approved	

<b>Ordering Provider</b>	Diagnosis	Service	n Report for 10012020 Status	Reason for Denial
Type /Specialty				
· /pc / cpccaacy	M93.002		Approved	
	R91.8		Approved	
	S83.203A		Approved	
	C49.9		Approved	
	M25.511		Approved	
	M53.3		Approved	
	M79.89		Approved	
	R10.32		Approved	
	Q21.1		Approved	
	S86.001S		Approved	
	S86.001S		Approved	
	C10.2		Approved	
	C10.2		Approved	
	R05		Approved	
	F07.81		Approved	
	M19.012		Approved	
	R29.818		Approved	
	C54.1		Approved	
	M19.012		Approved	
	R29.818		Approved	
	C54.1		Approved	
	F17.200		Approved	
	F17.200		Approved	
	H93.A1		Approved	
	C7A.023		Approved	
	D14.0		Approved	
	G43.909		Approved	
	G43.909		Approved	
	G35		Approved	
	M25.552		Approved	
	M47.26		Approved	
	G35		Approved	
	N28.1		Approved	
	N28.1		Approved	
	C7A.023		Approved	
	M47.812		Approved	
	M47.812		Approved	
	M25.552		Approved	
	D14.0		Approved	
	D14.0		Approved	
	M47.26		Approved	
	H93.A1		Approved	
	C7A.023		Approved	
	C7A.023		Approved	
	D14.0		Approved	

		on Report for 10012020	
Diagnosis	Service	Status	Reason for Denial
1447 046			
		• • •	
M47.817		Approved	
M47.817		Approved	
M47.817		Approved	
R10.32		Approved	
R10.32		Approved	
R10.32		Approved	
M23.41		Approved	
C18.7		Approved	
C18.7		Approved	
C18.7		Approved	
R10.9		Approved	
R10.9		Approved	
M79.89		Approved	
M79.89		Approved	
M79.89			
E27.8		Approved	
E27.8		Approved	
H93.A1		• • •	
H93.A1		Approved	
C50.912			
C50.912			
			<del> </del>
	Diagnosis  M47.816  M47.816  H93.A1  C81.72  H93.A1  C81.72  C81.72  C81.72  C81.72  C81.72  C81.72  M47.817  M47.817  M47.817  R10.32  R10.341  M23.41  M23.41  M23.41  M23.41  H93.A1  H93.A1  H93.A1  H93.A1  H93.A1  H93.A1	Diagnosis         Service           M47.816         M47.816           H93.A1         C81.72           H93.A1         C81.72           H93.A1         C81.72           C81.72         C81.72           C81.72         C81.72           M47.817         M47.817           M47.817         R10.32           R10.32         R10.32           R10.32         R10.32           M23.41         M23.41           M23.41         M23.41           M23.41         C18.7           C18.7         C18.7           R10.9         R10.9           M79.89         M79.89           M79.89         M79.89           M79.89         M79.89           E27.8         E27.8           E27.8         E27.8           H93.A1         H93.A1           H93.A1         H93.A1           H93.A1         C50.912           C50.912         C50.912           R91.1         E11.621           E11.621         E11.621	Diagnosis         Service         Status           M47.816         Approved           H93.A1         Approved           C81.72         Approved           H93.A1         Approved           H93.A1         Approved           C81.72         Approved           H93.A1         Approved           C81.72         Approved           C81.72         Approved           C81.72         Approved           M47.817         Approved           M23.22         Approved           M23.31         Approved           M23.41         Approved           M23.41         Approved

Ordering Drevider	Cigna Arkans	·	Status	
Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty				
	E27.8		Approved	
	I51.89		Approved	
	J34.2		Approved	
	J32.0		Approved	
	J32.0		Approved	
	D33.3		Approved	
	147.1		Approved	
	M48.062		Approved	
	120.8		Approved	
	188.0		Approved	
	R00.2		Approved	
	J32.4		Approved	
	M48.062		Approved	
	J32.0		Approved	
	R00.2		Approved	
	J32.0		Approved	
	R07.9		Approved	
	D49.6		Approved	
	F17.200		Approved	
	G91.8		Approved	
	110		Approved	
	S63.592A			
			Approved	
	M47.816		Approved	
	M17.11		Approved	
	R90.82		Approved	
	125.10		Approved	
	N20.0		Approved	
	M23.92		Approved	
	M54.12		Approved	
	D49.7		Approved	
	R07.9		Approved	
	M25.569		Approved	
	R31.0		Approved	
	R31.9		Approved	
	M51.36		Approved	
	R07.89		Approved	
	M51.16		Approved	
	Z80.3		Approved	
	M25.669		Approved	
	R20.0		Approved	
	R91.1		Approved	
	C64.2		Approved	
	C34.32		Approved	
	R06.09		Approved	
	120.9		Approved	
	120.5		Approved	

Ordering Provider	Diagnosis	Cigna Arkansas Prior Authorization Report for		Reason for Denial
Type /Specialty	Diagnosis	Service	Status	Reason for Benial
Турс / орестатку	125.10		Approved	
	M86.171		Approved	
	J32.9		Approved	
	K80.50		Approved	
	R41.3		Approved	
	C50.412		Approved	
	M25.362		Approved	
	120.9		Approved	
	R91.8		Approved	
	M48.02		Approved	
	150.42		Approved	
	R91.8		Approved	
	N20.0			
	125.10	+	Approved Approved	
	M19.90	+	Approved	+
	M54.12		Approved	
	C50.812		Approved	
	S73.191A		Approved	
	J32.9		Approved	
	125.10		Approved	
	R42		Approved	
	M54.16		Approved	
	R91.1		Approved	
	R31.9		Approved	
	C64.2		Approved	
	M25.512		Approved	
	M86.171		Approved	
	J32.9		Approved	
	M89.9		Approved	
	G93.0		Approved	
	G93.9		Approved	
	M25.562		Approved	
	M53.3		Approved	
	N20.0		Approved	
	M17.11		Approved	
	M25.531		Approved	
	G89.29		Approved	
	M16.12		Approved	
	R91.8		Approved	
	J32.9		Approved	
	N20.0		Approved	
	125.10		Approved	
	M54.16		Approved	
	M54.12		Approved	
	C50.812		Approved	

_	Diagnosis	Service	Status	
		Ser vice	Status	Reason for Denial
Type /Specialty	CC2 F02A		A	
	S63.592A		Approved	
	E05.90		Approved	
	R07.81		Approved	
	R06.02		Approved	
	R06.00		Approved	
	Z90.5		Approved	
	G35		Approved	
	K80.50		Approved	
	R10.9		Approved	
	142.2		Approved	
	R90.82		Approved	
	I10		Approved	
	K11.20		Approved	
	171.4		Approved	
	S83.249A		Approved	
	D35.2		Approved	
	M75.111		Approved	
	S80.02XA		Approved	
	K50.90		Approved	
	171.4		Approved	
	K11.20		Approved	
	C50.911		Approved	
	C49.0		Approved	
	C49.0		Approved	
	D35.2		Approved	
	199.8		• •	
	R91.1		Approved	
			Approved	
	H47.293		Approved	
	M54.16		Approved	
	R31.9		Approved	
	125.10		Approved	
	C49.9		Approved	
	M46.1		Approved	
	R91.8		Approved	
	K85.90		Approved	
	R91.1		Approved	
	H47.293		Approved	
	M54.17		Approved	
	M17.12		Approved	
	R06.02		Approved	
	M22.41		Approved	
	M54.17		Approved	
	M17.12		Approved	
	M54.17		Approved	
	M54.2		Approved	

Ordering Provider	Diagnosis	Cigna Arkansas Prior Authorization Repor  Diagnosis Service		Reason for Denial
Type /Specialty	Diagnosis	Jervice	Status	Tedoor for Deliful
- ype / epeciality	M23.92		Approved	
	M17.12		Approved	
	125.10		Approved	
	D05.11		Approved	
	D05.11		Approved	
	M54.16		Approved	
	M25.562		Approved	
	G43.119		Approved	
	C50.919		Approved	
	M54.16		Approved	
	M50.920		Approved	
	M50.30		Approved	
	M17.12		Approved	
	M54.12		Approved	
	R07.89		Approved	
	M54.9		Approved	
	C50.811		Approved	
	C54.1		Approved	
	M94.261		Approved	
	C50.812		Approved	
	M54.9		Approved	
	C50.811		Approved	
	M94.261		Approved	
	C50.811		Approved	
	G35		Approved	
	C50.811		Approved	
	171.9		Approved	
	C50.812		Approved	
	G35		Approved	
	171.9		Approved	
	C50.812		Approved	
	C54.1		Approved	
	C50.812		Approved	
	M47.894		Approved	
	M47.816		Approved	
	H53.8		Approved	
	M23.205		Approved	
	M25.461		Approved	
	M25.461		Approved	
	M47.894		Approved	
	S86.912A		Approved	

Cigna Arkansas Prior Authorization Report				
Ordering Provider	Diagnosis	Service	Status	Reason for Denial
Type /Specialty	NA25 544		Annana	
	M25.511	_	Approved	<u> </u>
	M47.894		Approved	
	110		Approved	
	M75.112		Approved	
	C50.412		Approved	
	M25.511		Approved	
	M25.511		Approved	
	M23.205		Approved	
	H53.8		Approved	
	H53.9		Approved	
	H53.9		Approved	
	I10		Approved	
	M25.511		Approved	
	M75.112		Approved	
	G51.9		Approved	
	S86.912A		Approved	
	G89.4		Approved	
	M25.561		Approved	
	M25.561		Approved	
	G89.4		Approved	
	M25.562		Approved	
	G89.4		Approved	
	M25.562		Approved	
	M43.16		Approved	
	M54.16		Approved	
	M54.16		Approved	
	M76.891		Approved	
	M76.891		Approved	
	M25.572		Approved	
	R05		Approved	
	M43.16		Approved	
	M25.572		Approved	<u> </u>
	M54.16		Approved	<u> </u>
	M54.16		Approved	<u> </u>
	C50.311		Approved	<u> </u>
	S83.242A		Approved	
	M54.16		Approved	
	C77.3		Approved	
	Z87.891		Approved	
	S83.242A		Approved	
	Z87.891			
			Approved	
	M47.816		Approved	
	M47.894		Approved	
	G51.9		Approved	<u> </u>
	C50.412		Approved	

Cigna Arkansas Prior Authorization Report for 10012020 - 12312020

<b>Ordering Provider</b>	Diagnosis	Service	Status	Reason for Denial
Type /Specialty				
	C77.3		Approved	
	S83.511A		Approved	
	M54.16		Approved	
	G89.4		Approved	
	S83.511A		Approved	
	C50.311		Approved	
	R05		Approved	
	M47.812		Approved	
	M47.812		Approved	
	M47.816		Approved	
	M47.816		Approved	
	M47.816		Approved	
	M47.894		Approved	
	C50.412		Approved	
	C50.112		Approved	
	M47.816		Approved	
	M47.816		Approved	
	C50.112		Approved	
	C34.32		Approved	
	M47.816		Approved	
	M47.894		Approved	